



PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification⁵ :

H02K 7/02, 21/22, 1/00

A1

(11) International Publication Number:

WO 90/10337

(43) International Publication Date:

7 September 1990 (07.09.90)

(21) International Application Number: PCT/US90/01100

(22) International Filing Date: 27 February 1990 (27.02.90)

(30) Priority data:

317,638

1 March 1989 (01.03.89)

US

(71)(72) Applicant and Inventor: REED, Troy, G. [US/US]; 7724 East 104th Street, Tulsa, OK 74133 (US).

(74) Agent: HEAD, James, R.; Head & Johnson, 228 West 17th Place, Tulsa, OK 74119 (US).

(81) Designated States: AT (European patent), BE (European patent), CH (European patent), DE (European patent), DK (European patent), ES (European patent), FR (European patent), GB (European patent), IT (European patent), JP, LU (European patent), NL (European patent), SE (European patent).

Published

*With international search report.**Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.*

(54) Title: MAGNETIC MOTOR

(57) Abstract

A magnetic motor is driven by the repelling forces of fixed and rotating magnets. The rotating magnets (22, 32) are mounted equally spaced about the perimeter of a disk (20) which rotates as the flywheel of the motor. Stationary magnets (18, 28) are supported adjacent the rotating magnets (22, 32). There are four injector pins (76A, 76B, 76C, 76D), much like the common injector pins on ball point pens, which are set and released by an injector pad (48A, 48B, 48C, 48D) driven by the crankshaft (14) of the engine. The crankshaft (14) and flywheel are driven by the repulsive forces created by the fixed and rotary magnets (22, 32) with the injector pin system (34, 36, 38, 40) operating to kick the crankshaft (14) and the flywheel over center.



